


**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:


**Listing of Claims:**

Claims 1-9 (canceled).


Claim 10 (new). An epoxy acrylate selected from the group consisting of formula (A)




and formula (B)




Claim 11 (new). An epoxy acrylate mixture comprising at least two different epoxy acrylates selected from the group consisting of formula (A)




formula (B)




formula (C)



formula (D)



and formula (E)




with the proviso that at least one epoxy acrylate is the epoxy acrylate of formula A or formula B.


Claim 12 (new). The epoxy acrylate mixture according to claim 11 comprising at least 30% by weight of the epoxy acrylate of formula A and/or formula B.

Claim 13 (new). The epoxy acrylate mixture according to claim 11 comprising at least 50% by weight of the epoxy acrylate of formula A and/or formula B.


Claim 14 (new). A radiation-curable composition comprising an epoxy acrylate binder containing 5 to 90% by weight based on the total amount of binder of an epoxy acrylate selected from the group consisting of formula (A)




and formula (B)




Claim 15 (new). A radiation-curable composition comprising an epoxy acrylate binder containing 5 to 90% by weight based on the total amount of binder of an epoxy acrylate mixture comprising at least two different epoxy acrylates selected from the group consisting of formula (A),




formula (B)




formula (C)



formula (D)



and formula (E)



with the proviso that at least one of the epoxy acrylates is the epoxy acrylate of formula A or formula B.

Claim 16 (new). A method for coating a substrate by applying the radiation-curable composition according to claim 14 to one or more surfaces of the substrate and curing the composition with radiation.

Claim 17 (new). A method for coating a substrate by applying the radiation-curable composition according to claim 15 to one or more surfaces of the substrate and curing the composition with radiation.

Claim 18 (new). A method for preparing an epoxy acrylate according to claim 10 by reacting acrylic acid with corresponding diglycidyl ether in a near-equinormal ratio of from 1:0.9 to 1:1.1.

Claim 19 (new). A method for preparing an epoxy acrylate mixture according to claim 11 by reacting acrylic acid with corresponding diglycidyl ether in a near-equinormal ratio of from 1:0.9 to 1:1.1.